AUTHOR INDEX TO VOLUME 166

Albrecht, A.C., see J.K. Trautman 166 (1990) 369
Andrés, J., see A. Arnau 166 (1990) 54
Ángyán, J.G., F. Colonna-Cesari and O. Tapia, Analytical first and second energy derivatives in the polarization model 166 (1990) 180
Aota, H., see S. Saikan 166 (1990) 358
Arnau, A., I. Tuñón, J. Andrés and E. Silla, Theoretical rotational constants of MeC_nN species 166 (1990) 54

Bacis, R., see A.J. Ross 166 (1990) 539
Balucani, U. and R. Vallauri, Evolution of bond-angle distribution from liquid to glassy states 166 (1990) 77
Barnett, M.P., Molecular integrals over Slater orbitals 166 (1990) 65
Bashkin, S., E. Träbert, P.-C. Lin, D.G. Jenkins and K. Wells, Broadening of lines from N^+ excited by H_3^+ bombardment of N_2, Chem. Phys. Letters 163 (1989) 407. Erratum 166 (1990) 220
Bauschlicher Jr., C.W., see M. Rosi 166 (1990) 189
BelBruno, J.J., G. Siuzdak and S. North, Multiphoton-induced chemistry of phenol in hexane at 266 nm 166 (1990) 167
Berndt, K., see J.R. Lakowicz 166 (1990) 246
Berthier, G., see L. Salem 166 (1990) 632
Blair, J.T., R.M. Levy and K. Krogh-Jespersen, Molecular mechanics parameters for electronically excited states: the (n, π^*) singlet state of formaldehyde 166 (1990) 429
Blais, N.C., M. Zhao, D.G. Truhlar, D.W. Schwenke and D.J. Kouri, Quantum-mechanical dynamics and quasiclassical trajectories for comparison to stimulated Raman pumping measurements of the high-energy state-to-state reaction dynamics of $D+H_2(v=j=1) \rightarrow HD(v'=1,j')+H$ 166 (1990) 11
Blättler, C., F. Jent and H. Paul, A novel radical-triplet pair mechanism for chemically induced electron polarization (CIDEP) of free radicals in solution 166 (1990) 375
Bonačić-Koutecký, V., P. Fantucci and J. Koutecký, An ab initio configuration interaction study of the excited states of the Na_4 cluster: assignment of the absorption spectrum 166 (1990) 32
Bowman, R.M., see M. Gruebele 166 (1990) 459
Brauer, H.-D., see K. Jesse 166 (1990) 95
Braun, W., R. Klein, A. Fahr, H. Okabe and A. Mele, Laser photolysis of trimethyl gallium at 193 nm: quantum yields for methyl radical and ethane production 166 (1990) 397
Brehm, B., see S.A. Rogers 166 (1990) 137
Bronikowski, M.J. and R.N. Zare, Simple model for Λ-doublet propensities in bimolecular reactions 166 (1990) 5
Büyükkiliç, F. and D. Demirhan, A statistical mechanical investigation of the pseudo-harmonic oscillator 166 (1990) 272
Byer, R.L., see F.M. Schellenberg 166 (1990) 331

Castleman Jr., A.W., see W.B. Tzeng 166 (1990) 343

Celii, F.G. and J.P. Maier, A spectroscopic study of the $\tilde{X}^4\Sigma_g^-$ ($v=4-6$) levels of C_2^+ using the stimulated emission pumping technique 166 (1990) 517
Chałasiński, G., see R. Moszyński 166 (1990) 609
Chaudhuri, R., D. Mukhopadhyay Jr. and D. Mukherjee, Applications of open-shell coupled cluster theory using an eigenvalue-independent partitioning technique: approximate inclusion of triples in IP calculations, Chem. Phys. Letters 162 (1989) 393. Erratum 166 (1990) 106
Claude, R., M. Moisan, A. Ricard and M.R. Wertheimer, Quenching rate of argon metastable state atoms in high frequency Ar–C_4F_8 discharges 166 (1990) 480
Cölln, L., see L.K. Verheij 166 (1990) 523
Colonna-Cesari, F., see J.G. Ángyán 166 (1990) 180
Comes, F.J., see K. Jesse 166 (1990) 95
Comsa, G., see L.K. Verheij 166 (1990) 523
Connell, L.L., T.C. Corcoran, P.W. Joireman and P.M. Felker, Conformational analysis of jet-cooled tryptophan analogs by rotational coherence spectroscopy 166 (1990) 510
Corcoran, T.C., see L.L. Connell 166 (1990) 510
Creegan, K.M., see M.F. Jarrold 166 (1990) 116
Cuadros, F., see J.O. Valderrama 166 (1990) 437
Curtis, T.T., see D.J. Peeso 166 (1990) 307
Cybulski, S., see R. Moszyński 166 (1990) 609
Cybulski, S.M. and S. Scheiner, Comparison of Morokuma and perturbation theory approaches to decomposition of interaction energy. $(NH_4)^+...NH_3$ 166 (1990) 57

Dai, S., see Z. Ma 166 (1990) 404
Dantus, M., see M. Gruebele 166 (1990) 459
Datta Ray, R. and G.B. Talapatra, On the mechanism of time-dependent spectral diffusion in binary solid solutions: the 1,4-dibromonaphthalene and 1-bromo-4-chloronaphthalene system 166 (1990) 173
De Almeida, W.B., Ab initio investigation of the stationary points on the potential energy surface for the CO_2...HCN binary complex 166 (1990) 589
Demirhan, D., see F. Büyükkiliç 166 (1990) 272
Denkov, N.D., see P.A. Kralchevsky 166 (1990) 452
Deumens, E., see A. Diz 166 (1990) 203
DiLella, D.P. and P. Zhou, Surface-enhanced Raman scattering from molecules adsorbed on gallium surfaces 166 (1990) 240
D'Incan, J., see A.J. Ross 166 (1990) 539
Dinur, U., On the interpretation of infrared intensities in planar molecular systems 166 (1990) 211
Diz, A., E. Deumens and Y. Öhrn, Quantum electron–nuclear dynamics 166 (1990) 203
Dore, J.C., see J. Eastoe 166 (1990) 153
Dorset, D.L., see J.W. White 166 (1990) 560
Düren, R., see B. Heumann 166 (1990) 385
Durup, J., see L. Salem 166 (1990) 632
Dye, J.L., see R.H. Huang 166 (1990) 133

Eastoe, J., B.H. Robinson, D.C. Steytler and J.C. Dore, Structure and interactions of microemulsions in a plastic-crystalline phase 166 (1990) 153
Effantin, C., see A.J. Ross 166 (1990) 539
Elbert, S.T., see S.S. Xantheas 166 (1990) 39

Elofson, P.-A. and L. Holmlid, Statistical description of rotational distributions of OH(v, N) from the reaction $O(^3P)+HCl(v, J)\rightarrow OH+Cl$ 166 (1990) 112
Epperson, J.E., see J.W. White 166 (1990) 560
Epple, K., see K.P.R. Nair 166 (1990) 146
Ernsting, N.P., Solvation of photolytically generated *p*-aminophenylthiyl radicals studied by sub-picosecond transient absorption 166 (1990) 221
Evans, D.J., see P.A. Wielopolski 166 (1990) 602
Ewing, D.W., see D.J. Peeso 166 (1990) 307

Fahr, A., see W. Braun 166 (1990) 397
Fantucci, P., see V. Bonačić-Koutecký 166 (1990) 32
Farantos, S.C., J.M. Gomez Llorente, O. Hahn and H.S. Taylor, The extraction of dynamics from spectra in regions of mixed chaotic and regular motion: the HCN case 166 (1990) 71
Fayer, M.D., see J.S. Meth 166 (1990) 106
Felker, P.M., see L.L. Connell 166 (1990) 510
Ferber, R.S., see A.V. Stolyarov 166 (1990) 290
Foth, H.-J., see Ch. Hertzler 166 (1990) 551
François, J.P., see J.M.L. Martin 166 (1990) 295
Fricke, B., see D. Heinemann 166 (1990) 627
Frisch, M.J., M. Head-Gordon and J.A. Pople, A direct MP2 gradient method 166 (1990) 275
Frisch, M.J., M. Head-Gordon and J.A. Pople, Semi-direct algorithms for the MP2 energy and gradient 166 (1990) 281
Fueno, T., see K. Yamaguchi 166 (1990) 408
Fujara, F., see W. Schnauss 166 (1990) 381
Furusawa, M., see M. Tsuji 166 (1990) 363

Gadre, S.R., S.A. Kulkarni and I.H. Shrivastava, Cross-entropy minimization for refinement of Gaussian basis sets 166 (1990) 445
Galasso, V., Ab initio study of the outer valence ionization potentials and electron affinities of benzocycloalkenes 166 (1990) 415
Galaup, J.P., see P.J. van der Zaag 166 (1990) 263
Gijbels, R., see J.M.L. Martin 166 (1990) 295
Glasbeek, M., see J. Westra 166 (1990) 535
Gomez Llorente, J.M., see S.C. Farantos 166 (1990) 71
Gotoh, T., see T. Tsunekawa 166 (1990) 353
Griffin, R.G., see A.C. Kolbert 166 (1990) 87
Gruebele, M., G. Roberts, M. Dantus, R.M. Bowman and A.H. Zewail, Femtosecond temporal spectroscopy and direct inversion to the potential. Application to iodine 166 (1990) 459

Hahn, O., see S.C. Farantos 166 (1990) 71
Hamilton, T.P. and H.F. Schaefer III, The triphosphorus anion (P_3^-): a near degeneracy between equilateral triplet and linear singlet electronic states 166 (1990) 303
Harada, A., see S. Saikan 166 (1990) 358
Hartmann, K., see W. Schnauss 166 (1990) 381
Harya, Ya.A., see A.V. Stolyarov 166 (1990) 290
Hatano, M., see H. Konami 166 (1990) 605
Hayaishi, T., see K. Ueda 166 (1990) 391

Head-Gordon, M., see M.J. Frisch 166 (1990) 275
Head-Gordon, M., see M.J. Frisch 166 (1990) 281
Hebert, T., D.M. Kolb, H.H. Rotermund, U. Schriever and H. Wiggenhauser, A time-resolved fluorescence study of matrix-isolated Ag_2 166 (1990) 101
Heinemann, D., A. Rosén and B. Fricke, Spin-polarized Hartree–Fock–Slater calculations in atoms and diatomic molecules with the finite element method 166 (1990) 627
Herman, M., see M. van Roozendael 166 (1990) 233
Hertzler, Ch. and H.-J. Foth, Sub-Doppler polarization spectra of He, N_2 and Ar^+ recorded in discharges 166 (1990) 551
Hess, B., see B. Heumann 166 (1990) 385
Heumann, B., K. Kühl, K. Weide, R. Düren, B. Hess, U. Meier, S.D. Peyerimhoff and R. Schinke, Photodissociation dynamics of water in the second absorption band: vibrational excitation of $OH(A^2\Sigma)$ 166 (1990) 385
Hickling, S.J. and R.G. Woolley, An ab initio Hartree–Fock study of the zwitterion of sulphamic acid, $^+H_3NSO_3^-$ 166 (1990) 43
Hikida, T., see K. Uno 166 (1990) 475
Hiraya, A., see K. Uno 166 (1990) 475
Holmlid, L., see P.-A. Elofson 166 (1990) 112
Huang, R.H. and J.L. Dye, Low temperature ($-80°C$) thermionic electron emission from alkalides and electrides 166 (1990) 133
Hugenschmidt, M.B., see L.K. Verheij 166 (1990) 523

I'Haya, Y.J., see T. Sano 166 (1990) 615
Irdam, E.A. and J.H. Kiefer, The decomposition of 1,3,5-trioxane at very high temperatures 166 (1990) 491
Ishikawa, Y., Dirac–Fock Gaussian basis calculations: inclusion of the Breit interaction in the self-consistent field procedure 166 (1990) 321
Itoh, H., see S. Kinoshita 166 (1990) 123
Ivanov, I.B., see P.A. Kralchevsky 166 (1990) 452
Iwamoto, M., see T. Tsunekawa 166 (1990) 353

Jankowiak, R. and G.J. Small, Comment on "Time evolution of non-photochemical hole burning linewidths: observation of spectral diffusion at long times" 166 (1990) 217
Japar, S.M., see T.J. Wallington 166 (1990) 495
Jarrold, M.F. and K.M. Creegan, Optical spectroscopy of metal clusters: Cu_4^+ 166 (1990) 116
Jenkins, D.G., see S. Bashkin 166 (1990) 220
Jent, F., see C. Blättler 166 (1990) 375
Jesse, K., R. Markert, F.J. Comes, R. Schmidt and H.-D. Brauer, Picosecond photochemistry: the mechanism of photocycloreversion of aromatic endoperoxides 166 (1990) 95
Joireman, P.W., see L.L. Connell 166 (1990) 510
Jones, H., see U. Magg 166 (1990) 253

Kaldor, U., The ground state geometry of the NO_3 radical 166 (1990) 599
Kamachi, M., see S. Saikan 166 (1990) 358
Kaneko, K., see H. Uchiyama 166 (1990) 531
Kanematsu, Y., see S. Saikan 166 (1990) 358
Kappes, M.M., see C.R.C. Wang 166 (1990) 26
Katoh, R. and M. Kotani, Observation of singlet exciton photoionization in anthracene single crystal at 2.95 eV 166 (1990) 258

Kiefer, J.H., see E.A. Irdam 166 (1990) 491
Kinoshita, S., H. Itoh, H. Murakami, H. Miyasaka, T. Okada and N. Mataga, Solvent relaxation effect on transient hole-burning spectra of organic dyes 166 (1990) 123
Kishida, T., see S. Saikan 166 (1990) 358
Klein, R., see W. Braun 166 (1990) 397
Kliner, D.A.V., K.-D. Rinnen and R.N. Zare, The $D+H_2$ reaction: comparison of experiment with quantum-mechanical and quasiclassical calculations 166 (1990) 107
Kobarai, K., see M. Tsuji 166 (1990) 485
Koffend, B., see A.J. Ross 166 (1990) 539
Koga, T., see L. Salem 166 (1990) 632
Kolb, D.M., see T. Hebert 166 (1990) 101
Kolbert, A.C. and R.G. Griffin, Two-dimensional resolution of isotropic and anisotropic chemical shifts in magic angle spinning NMR 166 (1990) 87
Konami, H., M. Hatano and A. Tajiri, Inter-ring overlap integrals in dimer complexes of phthalocyanines and porphyrins 166 (1990) 605
Kotani, M., see R. Katoh 166 (1990) 258
Kouri, D.J., see N.C. Blais 166 (1990) 11
Koutecký, J., see V. Bonačić-Koutecký 166 (1990) 32
Koyano, I., see K. Ueda 166 (1990) 391
Kralchevsky, P.A., N.D. Denkov, I.B. Ivanov and A.D. Nikolov, Attraction between Brownian particles of identical charge in colloid crystals 166 (1990) 452
Krogh-Jespersen, K., see J.T. Blair 166 (1990) 429
Kühl, K., see B. Heumann 166 (1990) 385
Kulkarni, S.A., see S.R. Gadre 166 (1990) 445
Kuppermann, A., see B. Lepetit 166 (1990) 572
Kuppermann, A., see B. Lepetit 166 (1990) 581
Kuznetsova, L.A., see A.V. Stolyarov 166 (1990) 290

Lakowicz, J.R. and K. Berndt, Frequency-domain measurements of photon migration in tissues 166 (1990) 246
Lefour, J.-M., see L. Salem 166 (1990) 632
Leone, S.R., see S.A. Rogers 166 (1990) 137
Lepetit, B., Z. Peng and A. Kuppermann, Calculation of bound rovibrational states on the first electronically excited state of the H_3 system 166 (1990) 572
Lepetit, B. and A. Kuppermann, Numerical study of the geometric phase in the $H+H_2$ reaction 166 (1990) 581
Levy, R.M., see J.T. Blair 166 (1990) 429
Lin, P.-C., see S. Bashkin 166 (1990) 220
Lin, S.H., C.Y. Yeh and G.Y.C. Wu, A theoretical study of the electric field effect on intramolecular electron transfer in dense media 166 (1990) 195

Ma, Z. and S. Dai, Electronic structure of BaCl 166 (1990) 404
Magg, U. and H. Jones, The diode laser spectrum of three isotopic forms of PbH in its $^2\Pi_{1/2}$ ground state 166 (1990) 253
Maier, J.P., see F.G. Celii 166 (1990) 517
Maître, P., see F. Volatron 166 (1990) 49
Markert, R., see K. Jesse 166 (1990) 95

Marshall, C.D., see J.S. Meth 166 (1990) 106
Martin, J.M.L., J.P. François and R. Gijbels, Unusually large effects of single excitations on the geometry of radical species and limiting spin-projection invariance of some correlated methods 166 (1990) 295
Mataga, N., see S. Kinoshita 166 (1990) 123
McCammon, J.A., see R. Pomès 166 (1990) 425
McConnell, J.D.C., see N.T. Skipper 166 (1990) 141
Meerts, W.L., see E. Zwart 166 (1990) 500
Mehring, M., see S. Zhang 166 (1990) 92
Meier, U., see B. Heumann 166 (1990) 385
Mele, A., see W. Braun 166 (1990) 397
Meth, J.S., C.D. Marshall and M.D. Fayer, Generation and detection of acoustic waveguide modes in ultrathin crystals using the transient grating technique, Chem. Phys. Letters 162 (1989) 306. Erratum 166 (1990) 106
Mikami, N., Y. Miyata, S. Sato and T. Sasaki, Ion trap method combined with two-color laser spectroscopy of supersonic molecular beams: photodissociation of trapped $C_6H_5Cl^+$ 166 (1990) 470
Miller, P.J., see S.A. Rogers 166 (1990) 137
Miller, R.D., see F.M. Schellenberg 166 (1990) 331
Miyasaka, H., see S. Kinoshita 166 (1990) 123
Miyata, Y., see N. Mikami 166 (1990) 470
Moisan, M., see R. Claude 166 (1990) 480
Moszyński, R., S. Rybak, S. Cybulski and G. Chałasiński, Correlation correction to the Hartree–Fock electrostatic energy including orbital relaxation 166 (1990) 609
Mukherjee, D., see R. Chaudhuri 166 (1990) 106
Mukhopadhyay Jr., D., see R. Chaudhuri 166 (1990) 106
Mulero, A., see J.O. Valderrama 166 (1990) 437
Müller, B., see W.H.E. Schwarz 166 (1990) 621
Murakami, H., see S. Kinoshita 166 (1990) 123

Nagaoka, S., see K. Ueda 166 (1990) 391
Nair, K.P.R. and K. Epple, Microwave spectrum of ortho-chlorotoluene. Rotational constants and nuclear quadrupole hyperfine structure 166 (1990) 146
Nakagaki, R., see M. Okazaki 166 (1990) 227
Namimoto, H., see K. Yamaguchi 166 (1990) 408
Nikolov, A.D., see P.A. Kralchevsky 166 (1990) 452
Nirmala, R. and S. Subramanian, Ab initio finite perturbation theory calculations of nuclear magnetic-shielding tensors of Li^+ and Na^+ complexes 166 (1990) 326
Nishimura, Y., see M. Tsuji 166 (1990) 363
Nishimura, Y., see M. Tsuji 166 (1990) 485
Nogami, T., see K. Yamaguchi 166 (1990) 408
North, S., see J.J. BelBruno 166 (1990) 167
Nunome, K., see M. Okazaki 166 (1990) 227

Obase, H., see M. Tsuji 166 (1990) 485
Öhrn, Y., see A. Diz 166 (1990) 203
Okabe, H., see W. Braun 166 (1990) 397
Okada, T., see S. Kinoshita 166 (1990) 123

Okazaki, M., Y. Tai, R. Nakagaki, K. Nunome and K. Toriyama, Excimer formation of pyrene as a probe to investigate the recombination of geminate pairs: ODESR and fluorescence study of dilute pyrene in squalane 166 (1990) 227
O'Malley, P.J., Formation of benzene clusters in Y-type zeolites: an infrared study 166 (1990) 340
Owens, T.G., see J.K. Trautman 166 (1990) 369
Ozeki, S., see H. Uchiyama 166 (1990) 531

Paul, H., see C. Blättler 166 (1990) 375
Pazyuk, E.A., see A.V. Stolyarov 166 (1990) 290
Peeso, D.J., D.W. Ewing and T.T. Curtis, A theoretical study of C_2S and C_3S 166 (1990) 307
Pélissier, M., see F. Volatron 166 (1990) 49
Peng, Z., see B. Lepetit 166 (1990) 572
Peyerimhoff, S.D., see B. Heumann 166 (1990) 385
Piuzzi, F. and A. Tramer, Dual fluorescence of the jet-cooled anthracene–dialkylaniline complexes 166 (1990) 503
Poelsema, B., see L.K. Verheij 166 (1990) 523
Pollack, S., see C.R.C. Wang 166 (1990) 26
Pomès, R. and J.A. McCammon, Mass and step length optimization for the calculation of equilibrium properties by molecular dynamics simulation 166 (1990) 425
Pople, J.A., see M.J. Frisch 166 (1990) 275
Pople, J.A., see M.J. Frisch 166 (1990) 281

Rahman, N.K., A. Rizzo and D.L. Yeager, Dynamic dipole polarizabilities of He, Ne and Ar by multiconfigurational linear response 166 (1990) 565
Rasch, G., see S. Tobisch 166 (1990) 311
Redmond, R.W. and J.C. Scaiano, A two-laser technique for the evaluation of the quantum yields of fluorescence from excited reaction intermediates. The case of diphenylketyl radicals 166 (1990) 20
Refson, K., see N.T. Skipper 166 (1990) 141
Ricard, A., see R. Claude 166 (1990) 480
Richter, W., see D. Schiel 166 (1990) 82
Rinnen, K.-D., see D.A.V. Kliner 166 (1990) 107
Rizzo, A., see N.K. Rahman 166 (1990) 565
Roberts, G., see M. Gruebele 166 (1990) 459
Robinson, B.H., see J. Eastoe 166 (1990) 153
Rogers, S.A., P.J. Miller, S.R. Leone and B. Brehm, Observation of the NF^{2+} dication in the electron impact ionization mass spectrum of NF_3 166 (1990) 137
Rosén, A., see D. Heinemann 166 (1990) 627
Rosi, M. and C.W. Bauschlicher Jr., On the bonding of La^+ and La^{2+} to C_2H_2, C_2H_4, and C_3H_6 166 (1990) 189
Ross, A.J., R. Bacis, J. d'Incan, C. Effantin, B. Koffend, A. Topouzkhanian and J. Vergès, Potential energy curves for the $X0^+$ and $A0^+$ states of BiF 166 (1990) 539
Rotermund, H.H., see T. Hebert 166 (1990) 101
Ruedenberg, K., see S.S. Xantheas 166 (1990) 39
Rybak, S., see R. Moszyński 166 (1990) 609

Saikan, S., T. Kishida, Y. Kanematsu, H. Aota, A. Harada and M. Kamachi, Polymer dependence of boson peak frequency studied by hole-burning and Raman spectroscopies 166 (1990) 358

Salem, L., G. Berthier, J.-M. Lefour, T. Koga and J. Durup, Reply to a Comment on "Overlap revisited" 166 (1990) 632
Sano, T. and Y.J. I'Haya, Acceleration of convergence in iterative methods when solving Newton–Raphson equations in second-order SCF calculations for energy-localized orbitals 166 (1990) 615
Sasaki, T., see N. Mikami 166 (1990) 470
Sato, S., see N. Mikami 166 (1990) 470
Sato, Y., see K. Ueda 166 (1990) 391
Scaiano, J.C., see R.W. Redmond 166 (1990) 20
Schaefer III, H.F., see T.P. Hamilton 166 (1990) 303
Scheiner, S., see S.M. Cybulski 166 (1990) 57
Schellenberg, F.M., R.L. Byer and R.D. Miller, Two-photon-induced birefringence in polysilanes 166 (1990) 331
Schiel, D. and W. Richter, The origin of the triplet structure of the OD stretching vibrational Raman profile of ethanol-OD in the gas phase 166 (1990) 82
Schinke, R., see B. Heumann 166 (1990) 385
Schmidt, R., see K. Jesse 166 (1990) 95
Schnauss, W., F. Fujara, K. Hartmann and H. Sillescu, Nonexponential ^2H spin–lattice relaxation as a signature of the glassy state 166 (1990) 381
Schriever, U., see T. Hebert 166 (1990) 101
Schwarz, W.H.E. and B. Müller, Density matrices from densities 166 (1990) 621
Schwenke, D.W., see N.C. Blais 166 (1990) 11
Senn, P., Comment on "Overlap revisited" 166 (1990) 630
Shi, J.L., see S.K. Zhou 166 (1990) 547
Shigemasa, E., see K. Ueda 166 (1990) 391
Shirota, Y., see K. Yamaguchi 166 (1990) 408
Shobatake, K., see K. Uno 166 (1990) 475
Shreve, A.P., see J.K. Trautman 166 (1990) 369
Shrivastava, I.H., see S.R. Gadre 166 (1990) 445
Silla, E., see A. Arnau 166 (1990) 54
Sillescu, H., see W. Schnauss 166 (1990) 381
Siuzdak, G., see J.J. BelBruno 166 (1990) 167
Skipper, N.T., A.K. Soper, J.D.C. McConnell and K. Refson, The structure of interlayer water in a hydrated 2:1 clay 166 (1990) 141
Slanina, Z., The present state of computational knowledge of thermodynamics of formation of the $C_5(g)$ cluster 166 (1990) 317
Small, G.J., see R. Jankowiak 166 (1990) 217
Snyder, R., see J.W. White 166 (1990) 560
Soper, A.K., see N.T. Skipper 166 (1990) 141
Steadman, J., see J.A. Syage 166 (1990) 159
Steytler, D.C., see J. Eastoe 166 (1990) 153
Stolyarov, A.V., E.A. Pazyuk, L.A. Kuznetsova, Ya.A. Harya and R.S. Ferber, Effects of perturbations on the term values, Landé factors of $B0_u^+$ and $A1_u$ states and on intensities of $B0_u^+$–$X1_g$ transitions of $^{130}Te_2$ 166 (1990) 290
Subramanian, S., see R. Nirmala 166 (1990) 326
Syage, J.A. and J. Steadman, Picosecond mass-selective measurements of molecular cluster reactions: $(CH_3I)_n$ $\tilde{A}$ state excitation 166 (1990) 159

Tai, Y., see M. Okazaki 166 (1990) 227
Tajiri, A., see H. Konami 166 (1990) 605
Talapatra, G.B., see R. Datta Ray 166 (1990) 173
Tapia, O., see J.G. Ángyán 166 (1990) 180
Taylor, H.S., see S.C. Farantos 166 (1990) 71
Ter Meulen, J.J., see E. Zwart 166 (1990) 500
Tobisch, S. and G. Rasch, Ab initio molecular-orbital calculations on Pt, PtH and PtH_2 with a quasirelativistic pseudopotential for Pt 166 (1990) 311
Topouzkhanian, A., see A.J. Ross 166 (1990) 539
Toriyama, K., see M. Okazaki 166 (1990) 227
Träbert, E., see S. Bashkin 166 (1990) 220
Tramer, A., see F. Piuzzi 166 (1990) 503
Trautman, J.K., A.P. Shreve, T.G. Owens and A.C. Albrecht, Femtosecond dynamics of carotenoid-to-chlorophyll energy transfer in thylakoid membrane preparations from *Phaeodactylum tricornutum* and *Nannochloropsis* sp. 166 (1990) 369
Truhlar, D.G., see N.C. Blais 166 (1990) 11
Tsuji, M., M. Furusawa and Y. Nishimura, ArF^*, KrF^* and XeF^* emissions produced from dissociative ion recombination reactions of Ar^+, Kr^+ and Xe^+ with SF_6^- in the flowing afterglow 166 (1990) 363
Tsuji, M., K. Kobarai, S. Yamaguchi, H. Obase and Y. Nishimura, Dissociative excitation of SiH_4 by collisions with krypton active species 166 (1990) 485
Tsunekawa, T., T. Gotoh and M. Iwamoto, New organic nonlinear optical crystals of benzylidene–aniline derivative 166 (1990) 353
Tung, C.-H., see C.-B. Xu 166 (1990) 128
Tuñón, I., see A. Arnau 166 (1990) 54
Tzeng, W.B., S. Wei and A.W. Castleman Jr., Influence of solvation on dissociation: metastable unimolecular decomposition of mixed ammonia–acetone cluster ions 166 (1990) 343

Uchiyama, H., S. Ozeki and K. Kaneko, Magnetic enhancement of micropore filling of supercritical NO 166 (1990) 531
Ueda, K., E. Shigemasa, Y. Sato, S. Nagaoka, I. Koyano, A. Yagishita and T. Hayaishi, Ionic fragmentation following the photoionization of $Sn(CH_3)_4$ in the 60–260 eV region 166 (1990) 391
Uno, K., T. Hikida, A. Hiraya and K. Shobatake, Formation of $NH(c^1\Pi)$, $NH(A^3\Pi)$ and $NCO(A^2\Sigma)$ in the VUV photolysis of HNCO 166 (1990) 475

Vach, H., Measurement of picosecond residence times in molecule/surface scattering 166 (1990) 1
Valderrama, J.O., F. Cuadros and A. Mulero, On the linear dependence of the pressure and the thermodynamic properties on the perturbation parameter using the WCA theory 166 (1990) 437
Vallauri, R., see U. Balucani 166 (1990) 77
Van der Zaag, P.J., J.P. Galaup and S. Völker, In search of spectral diffusion in glasses. A time-resolved transient hole-burning study of porphins in polyethylene 166 (1990) 263
Van Roozendael, M. and M. Herman, Optoacoustic study of the NO_2–N_2O_4 chemical system 166 (1990) 233
Vergès, J., see A.J. Ross 166 (1990) 539
Verheij, L.K., M.B. Hugenschmidt, L. Cölln, B. Poelsema and G. Comsa, The deuterium–oxygen reaction on Pt(111): Influence of atomic steps 166 (1990) 523
Volatron, F., P. Maître and M. Pélissier, Is the hypervalent radical SiH_5 a stable species? An ab initio study 166 (1990) 49
Völker, S., see P.J. van der Zaag 166 (1990) 263

Wales, D.J., Transition states for Ar_{55} 166 (1990) 419
Wallington, T.J. and S.M. Japar, FTIR product study of the reaction of $C_2H_5O_2HO_2$ in air at 295 K 166 (1990) 495
Wang, C.R.C., S. Pollack and M.M. Kappes, Molecular excited states versus collective electronic oscillations: optical absorption probes of Na_4 and Na_8 166 (1990) 26
Wang, C.X., see S.K. Zhou 166 (1990) 547
Wei, S., see W.B. Tzeng 166 (1990) 343
Weide, K., see B. Heumann 166 (1990) 385
Wells, K., see S. Bashkin 166 (1990) 220
Wertheimer, M.R., see R. Claude 166 (1990) 480
Westra, J. and M. Glasbeek, Localization of optical excitations in crystalline Rh^{3+}-tris-diimine chelates 166 (1990) 535
White, J.W., D.L. Dorset, J.E. Epperson and R. Snyder, Microphase separation in paraffin solid solutions 166 (1990) 560
White, J.W., see P.A. Wielopolski 166 (1990) 602
Wielopolski, P.A., D.J. Evans and J.W. White, On the pair correlation function of an intercalated fluid 166 (1990) 602
Wiggenhauser, H., see T. Hebert 166 (1990) 101
Woolley, R.G., see S.J. Hickling 166 (1990) 43
Wu, G.Y.C., see S.H. Lin 166 (1990) 195
Wu, X., see S. Zhang 166 (1990) 92

Xantheas, S.S., S.T. Elbert and K. Ruedenberg, The potential energy surface of the ground state of carbon dioxide 166 (1990) 39
Xu, C.-B. and C.-H. Tung, Hydrophobic effects on photophysical and photochemical processes. New fluorescence from molecular aggregates of 1,4-di(2-naphthyl)cyclohexane 166 (1990) 128

Yagishita, A., see K. Ueda 166 (1990) 391
Yamaguchi, K., H. Namimoto, T. Fueno, T. Nogami and Y. Shirota, Possibilities of organic ferromagnets and ferrimagnets by the use of charge-transfer (CT) complexes with radical substituents. Ab initio MO studies 166 (1990) 408
Yamaguchi, S., see M. Tsuji 166 (1990) 485
Yeager, D.L., see N.K. Rahman 166 (1990) 565
Yeh, C.Y., see S.H. Lin 166 (1990) 195

Zare, R.N., see M.J. Bronikowski 166 (1990) 5
Zare, R.N., see D.A.V. Kliner 166 (1990) 107
Zewail, A.H., see M. Gruebele 166 (1990) 459
Zhan, M.S., see S.K. Zhou 166 (1990) 547
Zhang, S., X. Wu and M. Mehring, Successive polarization under mismatched Hartmann–Hahn condition 166 (1990) 92
Zhao, M., see N.C. Blais 166 (1990) 11
Zhou, P., see D.P. DiLella 166 (1990) 240
Zhou, S.K., M.S. Zhan, J.L. Shi and C.X. Wang, Gas phase spectrum of dibromocarbene studied by laser-induced fluorescence 166 (1990) 547
Zwart, E., J.J. ter Meulen and W.L. Meerts, The ($K_a=0\rightarrow1$) submillimeter rotation–tunneling spectrum of the water dimer 166 (1990) 500